

Bayer d.o.o.  
Bayer CropScience  
Bravničarjeva ulica 13  
SI-1000 Ljubljana

## CERTIFICATE OF ANALYSIS

Product: MIKAL FLASH

Batch number: EM20012448

Production date: 01/2022

| Test description                                | U.M.   | Result | Test method | Minimum value | Maximum value |
|---|--------|--------|-------------|---------------|---------------|
| <b>ASPECT OF THE PRODUCT</b>                    |        |        |             |               |               |
| Appearance                                      | Codif. | 1      | visual      | 1             | -             |
| <b>CHEMICAL CHARACTERISTICS</b>                 |        |        |             |               |               |
| Fosetyl-Al                                      | % w/w  | 50,3   | KM 140      | 47,5          | 52,5          |
| Folpet  | % w/w  | 25,1   | KM 26       | 23,5          | 26,5          |
| <b>PHYSICAL CHARACTERISTICS</b>                 |        |        |             |               |               |
| pH (1% in deionized water, 23°C)                | -      | 3,5    | KM 3        | 3,0           | 4,0           |
| Suspensibility (1% w/v, CIPAC D, 30 min., 20°C) | % w/w  | 86,0   | KM 2        | 70            | -             |

Rače, 27.11.2023

Quality control department  
Albaugh TKI d.o.o. Rače  
M.Sci. Tone Berglez, dipl.chem.

